

# CZ1320 □


**B**

### 描述:

防爆接线箱适用于恶劣的工业危险区域，具有高抗腐特性和防水、防尘性。可满足化学、石油和海上工业的可靠保护。

防爆接线箱，材料采用不锈钢304或316L、碳钢（表面喷涂塑粉），标配厚度1.5mm，可订制2mm。产品结构形式分开盖式和开门式，当箱体外壁高度大于130mm，客户可选用法兰板或者不要，除标准尺寸外，也可根据用户的要求订制。

防爆接线箱有多种规格供选择，内装 Ex e 接线端子（U证），规格有1.5 ~ 240mm<sup>2</sup>，作为在线路中连接各种电器设备及仪器仪表的分线、接线之用。

### Descriptions:

Explosion-proof terminal box is designed for extremely harsh industrial hazardous areas with the features of high anti-corrosion, water-protection and dust-protection to fully meet the requirements by the chemical, petroleum and offshore industries.

The material of explosion-proof terminal box is SS304, SS316L, or carbon steel (powder coated). The standard wall thickness is 1.5mm, also 2mm is available for ordering to make. It could be formed by cover or door. The removable plate is optional for those box which outer depth is over than 130mm. Not only standard sizes there are, different sizes are possible for us to make.

For terminal boxes, there are Ex e terminals (U certification) from 1.5 to 240 mm<sup>2</sup> which could be mounted inside. These are applicable for the cable branching, wiring in different electrical apparatus and instruments.

不同型号规格的电缆密封套满足不同的电缆引入，可选塑制或金属电缆密封套。未使用的电缆入口可用空塞堵头密封，为今后更加便捷的设备进行改型与扩展。

- 多个箱体可组合使用
- 非标尺寸订做
- 防护等级IP66
- IECEx 国际认证、ATEX 欧盟认证

Different type and specification cable glands either made in plastic or metal material apply to different cable entries. The unused entries can be sealed with the stopping plugs. It will be very convenient for future expansion.

- More than one boxes can be combined.
- Manufacture in non standard dimensions.
- Degree of protection IP66.
- IECEx International Approval, ATEX European union certification.

0 区, 1 区和 2 区

Zone 0, Zone 1 and zone 2

20 区, 21 区和 22 区

Zone 20, Zone 21 and zone 22

**主要数据 Main technical data:**

认证 Certification	防爆标志 Ex mark	符合标准 Meet the standard
<b>China: CE 18.5062X</b>	Ex eb II C T6/T5/T4 Gb      Ex ia/ib II C T6/T5/T4 Ga/Gb Ex tD A21 IP66 T80°C/T95°C/T130°C	GB3836 GB12476
<b>IECEX: IECEX CML 17.0044X</b>	Ex eb II C T6/T5/T4 Gb      Ex ia/ib II C T6/T5/T4 Ga/Gb Ex tb III C T80°C/T95°C/T130°C Db	IEC60079
<b>ATEX: CML 17ATEX3104X</b>	⊕ II 2G Ex eb II C T6/T5/T4 Gb      Ex ia/ib II C T6/T5/T4 Ga/Gb ⊕ II 2D Ex tb III C T80°C/T95°C/T130°C Gb	EN60079

适用范围: 用于 0 区, 1 区和 2 区  
 用于 20 区, 21 区和 22 区  
 防护等级: IP66  
 额定电压: 最大 1100V  
 额定电流: 最大 630A  
 使用环境温度:  $-40^{\circ}\text{C} \leq \text{Ta} \leq +40^{\circ}\text{C}/+55^{\circ}\text{C}$   
 $-55^{\circ}\text{C} \leq \text{Ta} \leq +40^{\circ}\text{C}/+55^{\circ}\text{C}$



抗冲击性能: 7J(Nm), 符合 EN60014 标准  
 箱体接地: M6  
 壳体内部安装结构形式: 可选导轨支架安装和底板安装  
 箱体开盖结构形式: 开盖式和开门式  
 法兰板: 可拆卸 3mm 法兰板  
 材料厚度: 标配 1.5mm (其它定制)  
 材 质: 304 不锈钢 (表面拉丝处理)  
 316L 不锈钢 (表面拉丝处理)  
 碳钢 (表面喷涂塑粉)

Intended use: Can be used in zone 0, zone 1 and zone 2  
 Can be used in zone 20, zone 21 and zone 22  
 Degree of protection: IP66  
 Rated voltage/current: max 1100V  
 Rated current: max 630A  
 Ambient temperature use:  $-40^{\circ}\text{C} \leq \text{Ta} \leq +40^{\circ}\text{C}/+55^{\circ}\text{C}$   
 $-55^{\circ}\text{C} \leq \text{Ta} \leq +40^{\circ}\text{C}/+55^{\circ}\text{C}$

Shock resistance: 7J(Nm), conform to the standard EN60014  
 Earthing: M6  
 Box internal installation structure forms: rail or mounting plate  
 Box open structure forms: Open cover type and open door type  
 Removable plate: 3mm detachable removable plate  
 Material Thickness : Standard 1.5mm (Other customized)  
 Material: SS304 ( wire drawing processed )  
 SS316L ( wire drawing processed )  
 Carbon steel ( plastic powder coated )

**B**
**订购规格 Order specifications:**

型号含义 Model implication:



\*箱体颜色, 除“0”原色外, 其余颜色需订制。  
 Only primary colour is standard, other colours are special to make.

**描述 Description:**















电缆密封套的技术参数和编码详见 B/50~B/67 页。  
 See pages B/50~B/67 for technical specifications and codes of cable gland.

**产品简介**

















CZ1320 不锈钢接线箱 (开盖式) 系列有27种尺寸和多种配置可选, 我们可根据用户需求, 箱体外壁高度大于130mm的箱体可选配法兰板。如需选配附件, 有电缆密封套、呼吸阀、空塞堵头等配件, 详见 B/50~B/67 页。

CZ1320 Stainless steel junction box series (Cover-open type) have more than 27 different kinds of sizes and configurations. The removable plate is optional for those boxes which outer depth is over than 130mm. Spare parts like hinger, cable gland, breather, stopping plug, please take reference of page B/50~B/67.


**订购规格 Order specifications:**















箱体规格 Box specification	导轨 TS35×7.5 Mounting rail	导轨×接线端子(规格及数量) Mounting rail×terminals (Specification and quantities)						订购号 Order No.
		2.5mm <sup>c</sup>	4mm <sup>c</sup>	6mm <sup>c</sup>	10mm <sup>c</sup>	16mm <sup>c</sup>	35mm <sup>c</sup>	
		1×14	1×12	1×9	1×7	1×6	/	<b>CZ1320e/5140-011□</b> <b>CZ1320i/5140-011□</b>
		1×27	1×23	1×17	1×10	1×12	1×9	<b>CZ1320e/5140-021□</b> <b>CZ1320i/5140-021□</b>
		1×30	1×25	1×19	1×15	1×12	1×10	<b>CZ1320e/5140-031□</b> <b>CZ1320i/5140-031□</b>
		1×40	1×34	1×25	1×20	1×17	1×13	<b>CZ1320e/5140-041□</b> <b>CZ1320i/5140-041□</b>
		1×40	1×34	1×25	1×20	1×17	1×13	<b>CZ1320e/5140-042□</b> <b>CZ1320i/5140-042□</b>
		2×52	2×43	1×33	1×25	1×22	1×18	<b>CZ1320e/5140-051□</b> <b>CZ1320i/5140-051□</b>
		2×52	2×43	1×33	1×25	1×22	1×18	<b>CZ1320e/5140-052□</b> <b>CZ1320i/5140-052□</b>

## 订购规格 Order specifications:











箱体规格 Box specification	导轨 TS35×7.5 Mounting rail	导轨×接线端子(规格及数量) Mounting rail×terminals (Specification and quantities)						订购号 Order No.
		2.5mm <sup>2</sup>	4mm <sup>2</sup>	6mm <sup>2</sup>	10mm <sup>2</sup>	16mm <sup>2</sup>	35mm <sup>2</sup>	
		3×52	3×43	2×33	2×25	2×22	1×18	<b>CZ1320e/5140-061□</b> <b>CZ1320i/5140-061□</b>
		3×52	3×43	2×33	2×25	2×22	1×18	<b>CZ1320e/5140-062□</b> <b>CZ1320i/5140-062□</b>
		3×52	3×43	2×33	2×25	2×22	1×18	<b>CZ1320e/5140-065□</b> <b>CZ1320i/5140-065□</b>
		3×52	3×43	2×33	2×25	2×22	1×18	<b>CZ1320e/5140-066□</b> <b>CZ1320i/5140-066□</b>
		6×52	6×43	4×33	4×25	4×22	2×18	<b>CZ1320e/5140-072□</b> <b>CZ1320i/5140-072□</b>
		6×52	6×43	4×33	4×25	4×22	2×18	<b>CZ1320e/5140-073□</b> <b>CZ1320i/5140-073□</b>
		6×52	6×43	4×33	4×25	4×22	2×18	<b>CZ1320e/5140-074□</b> <b>CZ1320i/5140-074□</b>
		6×52	6×43	4×33	4×25	4×22	2×18	<b>CZ1320e/5140-076□</b> <b>CZ1320i/5140-076□</b>

**B**

## 订购规格 Order specifications:

箱体规格 Box specification	导轨 TS35×7.5 Mounting rail	导轨×接线端子(规格及数量) Mounting rail×terminals (Specification and quantities)						订购号 Order No.
		2.5mm <sup>2</sup>	4mm <sup>2</sup>	6mm <sup>2</sup>	10mm <sup>2</sup>	16mm <sup>2</sup>	35mm <sup>2</sup>	
		2×79	2×66	2×50	2×40	2×34	1×27	<b>CZ1320e/5140-082□</b> <b>CZ1320i/5140-082□</b>
		2×79	2×66	2×50	2×40	2×34	1×27	<b>CZ1320e/5140-084□</b> <b>CZ1320i/5140-084□</b>
		2×79	2×66	2×50	2×40	2×34	1×27	<b>CZ1320e/5140-086□</b> <b>CZ1320i/5140-086□</b>
		3×79	3×66	3×50	3×40	3×34	2×27	<b>CZ1320e/5140-092□</b> <b>CZ1320i/5140-092□</b>
		3×79	3×66	3×50	3×40	3×34	2×27	<b>CZ1320e/5140-094□</b> <b>CZ1320i/5140-094□</b>
		3×79	3×66	3×50	3×40	3×34	2×27	<b>CZ1320e/5140-096□</b> <b>CZ1320i/5140-096□</b>
		6×52	6×43	6×33	6×25	6×22	4×18	<b>CZ1320e/5140-102□</b> <b>CZ1320i/5140-102□</b>

**订购规格 Order specifications:**

箱体规格 Box specification	导轨 TS35×7.5 Mounting rail	导轨×接线端子(规格及数量) Mounting rail×terminals (Specification and quantities)						订购号 Order No.
		2.5mm <sup>2</sup>	4mm <sup>2</sup>	6mm <sup>2</sup>	10mm <sup>2</sup>	16mm <sup>2</sup>	35mm <sup>2</sup>	
		6×52	6×43	6×33	6×25	6×22	4×18	<b>CZ1320e/5140-104□</b> <b>CZ1320i/5140-104□</b>
		6×52	6×43	6×33	6×25	6×22	4×18	<b>CZ1320e/5140-106□</b> <b>CZ1320i/5140-106□</b>
		8×52	8×43	8×33	8×25	8×22	6×18	<b>CZ1320e/5140-112□</b> <b>CZ1320i/5140-112□</b>
		8×52	8×43	8×33	8×25	8×22	6×18	<b>CZ1320e/5140-114□</b> <b>CZ1320i/5140-114□</b>
		8×52	8×43	8×33	8×25	8×22	6×18	<b>CZ1320e/5140-116□</b> <b>CZ1320i/5140-116□</b>
<p> <b>40-304 不锈钢 Stainless steel</b> ←  <b>60-316L 不锈钢 Stainless steel</b> ←         </p> <p> <b>L: -40℃ ≤ Ta ≤ +40℃</b> ← <b>使用环境温度</b>  <b>H: -55℃ ≤ Ta ≤ +55℃</b> ← <b>Ambient temperature use</b> </p>								













**B**

**产品简介**

















CZ1320 不锈钢接线箱 (开门式) 系列有14种尺寸和多种配置可选, 我们可根据用户需求, 可选用法兰板或者不要。如需选配附件, 由电缆密封套、呼吸阀、空塞堵头等配件, 详见 B/50~B/67 页。

CZ1320 Stainless steel junction box series (Door-open type) have more than 14 different kinds of sizes and configurations. The removable plate is optional. Spare parts like cable gland, breather, stopping plug, please see page B/50~B/67.


**B**
**订购规格 Order specifications:**

箱体规格 Box specification	导轨 TS35×7.5 Mounting rail	导轨×接线端子(规格及数量) Mounting rail×terminals (Specification and quantities)						订购号 Order No.
		2.5mm <sup>2</sup>	4mm <sup>2</sup>	6mm <sup>2</sup>	10mm <sup>2</sup>	16mm <sup>2</sup>	35mm <sup>2</sup>	
		2×52	2×43	1×33	1×25	1×22	1×18	<b>CZ1320e/6140-652□</b> <b>CZ1320i/6140-652□</b>
		2×52	2×43	1×33	1×25	1×22	1×18	<b>CZ1320e/6140-654□</b> <b>CZ1320i/6140-654□</b>
		3×52	3×43	2×33	2×25	2×22	1×18	<b>CZ1320e/6140-662□</b> <b>CZ1320i/6140-662□</b>
		3×52	3×43	2×33	2×25	2×22	1×18	<b>CZ1320e/6140-664□</b> <b>CZ1320i/6140-664□</b>
		6×52	6×43	4×33	4×25	4×22	2×18	<b>CZ1320e/6140-672□</b> <b>CZ1320i/6140-672□</b>
		6×52	6×43	4×33	4×25	4×22	2×18	<b>CZ1320e/6140-674□</b> <b>CZ1320i/6140-674□</b>

**订购规格 Order specifications:**

箱体规格 Box specification	导轨 TS35×7.5 Mounting rail	导轨×接线端子(规格及数量) Mounting rail×terminals (Specification and quantities)						订购号 Order No.
		2.5mm <sup>2</sup>	4mm <sup>2</sup>	6mm <sup>2</sup>	10mm <sup>2</sup>	16mm <sup>2</sup>	35mm <sup>2</sup>	
		2×79	2×66	2×50	2×40	2×34	1×27	<b>CZ1320e/6140-682□</b> <b>CZ1320i/6140-682□</b>
		2×79	2×66	2×50	2×40	2×34	1×27	<b>CZ1320e/6140-684□</b> <b>CZ1320i/6140-684□</b>
		3×79	3×66	3×50	3×40	3×34	1×27	<b>CZ1320e/6140-692□</b> <b>CZ1320i/6140-692□</b>
		3×79	3×66	3×50	3×40	3×34	1×27	<b>CZ1320e/6140-694□</b> <b>CZ1320i/6140-694□</b>
		6×52	6×43	6×33	6×25	6×22	4×18	<b>CZ1320e/6140-702□</b> <b>CZ1320i/6140-702□</b>
		6×52	6×43	6×33	6×25	6×22	4×18	<b>CZ1320e/6140-704□</b> <b>CZ1320i/6140-704□</b>
		8×52	8×43	8×33	8×25	8×22	6×18	<b>CZ1320e/6140-712□</b> <b>CZ1320i/6140-712□</b>
		8×52	8×43	8×33	8×25	8×22	6×18	<b>CZ1320e/6140-714□</b> <b>CZ1320i/6140-714□</b>








**40-304 不锈钢 Stainless steel**  
**60-316L 不锈钢 Stainless steel**

**L: -40℃ ≤ Ta ≤ +40℃**      使用环境温度  
**H: -55℃ ≤ Ta ≤ +55℃**      Ambient temperature use


**B**




**安装附件 Accessories of mounting:**

图样 Illustration	描述 Descriptions	件/包 Pcs/ package	重量 Weight (kg)	订购号 Order No.	
连接板 Connecting board  	200 × 121 × 10mm	1	0.063	<b>CZ1300-8004/41</b>	
	200 × 191 × 10mm	1	0.080	<b>CZ1300-8004/42</b>	
	320 × 121 × 10mm	1	0.089	<b>CZ1300-8004/51</b>	
	320 × 191 × 10mm	1	0.105	<b>CZ1300-8004/52</b>	
	460 × 121 × 10mm	1	0.120	<b>CZ1300-8004/61</b>	
	460 × 191 × 10mm	1	0.139	<b>CZ1300-8004/62</b>	
	700 × 121 × 10mm	1	0.181	<b>CZ1300-8004/71</b>	
	700 × 191 × 10mm	1	0.195	<b>CZ1300-8004/72</b>	
法兰板 Removable plate  	材料: 塑制带密封圈 Material: moulded plastic with seals	200 × 121 × 3mm	1	0.576	<b>CZ1300-8036/41-40</b>
		200 × 191 × 3mm	1	0.909	<b>CZ1300-8036/42-40</b>
		320 × 121 × 3mm	1	0.921	<b>CZ1300-8036/51-40</b>
		320 × 191 × 3mm	1	1.454	<b>CZ1300-8036/52-40</b>
		460 × 121 × 3mm	1	1.324	<b>CZ1300-8036/61-40</b>
		460 × 191 × 3mm	1	2.090	<b>CZ1300-8036/62-40</b>
		700 × 121 × 3mm	1	2.015	<b>CZ1300-8036/71-40</b>
		700 × 191 × 3mm	1	3.187	<b>CZ1300-8036/72-40</b>
	材料: 不锈钢 304 Material: Stainless steel 304	200 × 121 × 3mm	1	0.576	<b>CZ1300-8036/41-60</b>
		200 × 191 × 3mm	1	0.909	<b>CZ1300-8036/42-60</b>
		320 × 121 × 3mm	1	0.921	<b>CZ1300-8036/51-60</b>
		320 × 191 × 3mm	1	1.454	<b>CZ1300-8036/52-60</b>
		460 × 121 × 3mm	1	1.324	<b>CZ1300-8036/61-60</b>
		460 × 191 × 3mm	1	2.090	<b>CZ1300-8036/62-60</b>
		700 × 121 × 3mm	1	2.015	<b>CZ1300-8036/71-60</b>
		700 × 191 × 3mm	1	3.187	<b>CZ1300-8036/72-60</b>
铰链 Hinge  	不锈钢铰链用于开盖式防爆箱每套铰链配有一个挂锁套 Stainless steel hinges for screw-on cover-open versions have one padlock per set.	2	0.032	<b>CZ8000-8043/1-2</b>	
		3	0.048	<b>CZ8000-8043/1-3</b>	
模塑孔支架 Molded bracket  	长 Length 182mm	10	0.067	<b>4007/TA</b>	
	长 Length 300mm	10	0.110	<b>4007/TB</b>	
	长 Length 440mm	10	0.163	<b>4007/TC</b>	
不锈钢铭牌 Stainless steel nameplate  	不锈钢铭牌激光刻字, 配有自攻螺钉和塑料螺母 Stainless steel nameplate with laser printings, plastic nuts, self-tapping nuts	5	0.020	<b>CZ8040/1-8030A</b>	
		5	0.030	<b>CZ8040/1-10050A</b>	
		5	0.050	<b>CZ8040/1-15080A</b>	
不锈钢铭牌刻字 Stainless steel nameplate  	用于箱体尺寸代号 For box dimension code 011、021	5	0.017	<b>CZ8040/1-11720</b>	
	用于箱体尺寸代号 For box dimension code 031	5	0.020	<b>CZ8040/1-14720</b>	
	用于箱体尺寸代号 For box dimension code 041	5	0.026	<b>CZ8040/1-19720</b>	
不锈钢U型导轨 U type rail of stainless steel  	L=370mm, L1=220mm	4	0.616	<b>U5/370-40</b>	
	材料: 304 不锈钢 Material: Stainless steel 201	L=490mm, L1=340mm	4	0.816	<b>U5/490-40</b>
		L=630mm, L1=480mm	4	1.049	<b>U5/630-40</b>
		L=870mm, L1=720mm	4	1.449	<b>U5/870-40</b>

外形尺寸 Outline dimensions:


 CZ1320 不锈钢接线箱 (开盖式)  
 Stainless steel terminal box (Cover-open type)

尺寸代号 Code size	箱体名称 Box type	规格尺寸 (L×W×H) Specification size
011	CZ1320□/5140-160120091	160×120×91
021	CZ1320□/5140-240120091	240×120×91
031	CZ1320□/5140-250150091	250×150×91
041	CZ1320□/5140-300200091	300×200×91
042	CZ1320□/5140-300200156	300×200×156
051	CZ1320□/5140-370250091	370×250×91
052	CZ1320□/5140-370250156	370×250×156
061	CZ1320□/5140-370370091	370×370×91
062	CZ1320□/5140-370370156	370×370×156
065	CZ1320□/5140-370370232	370×370×232
066	CZ1320□/5140-370370276	370×370×276
072	CZ1320□/5140-750370156	750×370×156
073	CZ1320□/5140-750370196	750×370×196
074	CZ1320□/5140-750370226	750×370×226
076	CZ1320□/5140-750370276	750×370×276
082	CZ1320□/5140-510370156	510×370×156
084	CZ1320□/5140-510370226	510×370×226
086	CZ1320□/5140-510370276	510×370×276
092	CZ1320□/5140-510510156	510×510×156
094	CZ1320□/5140-510510226	510×510×226
096	CZ1320□/5140-510510276	510×510×276
102	CZ1320□/5140-750510156	750×510×156
104	CZ1320□/5140-750510226	750×510×226
106	CZ1320□/5140-750510276	750×510×276
112	CZ1320□/5140-750750156	750×750×156
114	CZ1320□/5140-750750226	750×750×226
116	CZ1320□/5140-750750276	750×750×276

**B**

 CZ1320 不锈钢接线箱 (开门式)  
 Stainless steel terminal box (Door-open type)

尺寸代号 Code size	箱体名称 Box type	规格尺寸 (L×W×H) Specification size
652	CZ1320□/6140-370250156	370×250×156
654	CZ1320□/6140-370250226	370×250×226
662	CZ1320□/6140-370370156	370×370×156
664	CZ1320□/6140-370370226	370×370×226
672	CZ1320□/6140-750370156	750×370×156
674	CZ1320□/6140-750370226	750×370×226
682	CZ1320□/6140-510370156	510×370×156
684	CZ1320□/6140-510370226	510×370×226
692	CZ1320□/6140-510510156	510×510×156
694	CZ1320□/6140-510510226	510×510×226
702	CZ1320□/6140-750510156	750×510×156
704	CZ1320□/6140-750510226	750×510×226
712	CZ1320□/6140-750750156	750×750×156
714	CZ1320□/6140-750750226	750×750×226